Subject and Author Index for Volume 29, 1997

Active-layer thickness, 367–378
Adipose tissue, 478–482
Aerial photography, 345–351
Aizen, E. M. *See* Aizen, V. R., et al.
Aizen, V. R., Aizen, E. M., Melack, J. M. (Snow Distribution and Melt in Central Tien Shan, Susamir Valley), 403–413
Alaska: Cellular slime molds, 222–225; Muskox distribution, 334–338; Permafrost, 367–378
Albedo, 261–269
Algae: Biomass, 126–137
Algae: Community structure, 126–137
Alpine: Ecology, 164–172; Flowering, 285–290, Flowering, 291–299; Leaf respiration, 122–125; Radiation balance, 339–344; Seed development, 291–299; Soils, 164–172; Vegetation history, 32–44
Alps: Climate oscillations, 445–458; Sedges, 291–299; Vegetation changes, 445–458
Andean páramo, 206–212
Anderson, R. S. *See* Feiler, E. J., et al.
Aniya, M., Sato, H., Naruse, R., Skvarca, P., and Casassa, G. (Recent Glacier Variations in the Southern Patagonia Icefield, South America), 1–12
Antarctica: Recruitment, 217–221; Seed bank, 213–216; Soils, 358–365; Temperature, 217–221
Arctic: Climate-plant interactions, 456–469; Disturbance, 105–111; Holocene lake sediments, 24–31; Hydrology, 240–252; Mackenzie Delta, 430–444; Microclimate, 270–284; Nitrogen fixation, 470–477; Paleohydrology, 430–444; Sea ice, 345–351; Soil characteristics, 105–111
Arctic Ocean, 422–429
Arnone, J. A., III and Körner, C. (Temperature Adaptation and Acclimation Potential of Leaf Dark Respiration in Two Species of *Ranunculus* from Warm and Cold Habitats), 122–125
Aufeis, 240–252
Avalanche: Prediction, 352–357; Runout, 352–357

Babrauckas, B.-R. and Schmidlin, T. W. (Summer Radiation Balance for Alpine Tundra on Mount Washington, New Hampshire, U.S.A.), 339–344
Baffin Island, 24–31
Baker, W. D. *See* Hessl, A. E. and Baker, W. D.
Barnola, L. G. and Montilla, M. G. (Vertical Distribution of Mycorrhizal Colonization, Root Hairs, and Belowground Biomass in Three Contrasting Sites from the Tropical High Mountains, Mérida, Venezuela), 206–212
Beyer, L., Blume, H.-P., Sorge, C., Schulten, H.-R., Erlenkeuser, H., and Schneider, D. (Humus Composition and Transformations in a Pergelic Cryohemist of Coastal Antarctica), 358–365
Billings, W. Dwight, In Memoriam, 253–254
Binary images, 345–351
Biomass, 206–212
Blum, T. *See* Weckström, J., et al.
Blume, H.-P. *See* Beyer, L., et al.
Bockheim, J. G. and Koerner, D. (Pedogenesis in Alpine Ecosystems of the Eastern Unita Mountains, Utah, U.S.A.), 164–172
Book Reviews
Alpine Flora of the Rocky Mountains. Vol. I. The Middle Rockies. By Richard W. Scott. *William A. Weber,* 366
Antarctic Science. Edited by Gotthilf Hempel. *Anne E. Jennings,* 139–140
Freshwaters of Alaska: Ecological Synthesis. Edited by Alexander M. Milner and Mark W. Oswood. *Alexander P. Wolfe,* 256–257
Letter to the Editor: Comments on the Book Review of *The Ice Age World. Bjørn G. Anderson,* 138–139
Palaeoentomology of the Kap København Formation, a Plio-Pliestocene Sequence in Peary Land, North Greenland. By Jens Böcher. *S. A. Elias,* 140
Plant Ecology in the Subarctic Swedish Lapland. Edited by P. S. Karlsson and T. V. Callaghan. *G. Peter Kershaw,* 493–494
Relocating Eden: The Image and Politics of Inuit Exile in the Canadian Arctic. Alan Rudolph Marcus. *Raoul Miller,* 492–493
The Game Drives of Rocky Mountain National Park. James B. Benedict. *Joel C. Janetski,* 255–256
Voices of Stone: A Personal Journey into the Arctic Past. Peter Schlederman. *J. T. Andrews,* 255
British Columbia: Succession, 184–195; Vegetation history, 156–163

CANOL pipeline corridor, 105–111
Canonical correspondence analysis, 75–92
Carbonate geochemistry, 240–252
Carex, 291–299
Casassa, G. *See* Aniya, M., et al.
Cassiope tetragona, 459–469
Cellular slime molds, 222–225
Central Asia: Snow hydrology, 403–413
China: Mountain climate, 226–232
Clark, I. D. and Lauriol, B. (Aufeis of the Firth River Basin, Northern Yukon, Canada: Insights into Permafrost Hydrology and Karst), 240–252
Clayden, S. L., Cwynar, L. C., MacDonald, G. M., and Velichko, A. A. (Holocene Pollen and Stomates from a Forest-tundra Site on the Taimyr Peninsula, Siberia), 327–333
Climate change, 156–163, 173–183, 392–401, 414–421, 430–444, 445–458; New Zealand, 32–44; Patagonia, 1–12; Prediction, 122–125; Sweden, 315–326
Climate: Gonga Shan, 226–232; Mount Washington, 339–344; Proxy signals, 414–421
Climate reconstruction, 63–74
Climate sensitivity of glacier, 233–239
Climate-plant interactions, 456–469
Coal mine reclamation, 184–195
Coleoptera, 196–205
Colobanthus quitensis, 213–216, 217–221
Colorado: Moths, 478–482; Paleoecology, 53–62
Conifer stomates, 327–333
Conservation, 112–121
Cooper, D. J. and Sanderson, J. S. (A Montane *Kobresia myosuroides* Fen Community Type in the Southern Rocky Mountains of Colorado, U.S.A.), 300–303
Cushion plants, 217–221
Cwynar, L. C. *See* Clayden, S. L., et al. *See also* Spear, R. W. and Cwynar, L. C.
Cyanobacteria, 470–477

Day, T. A. *See* Grobe, C. W., et al. *See also* McGraw, J. B. and Day, T. A.
Delta: Floodplain lakes, 430–444
Dendroecological analysis, 456–469
Derksen, C., Piwowar, J., and LeDrew, E. (Sea-Ice Melt-Pond Fraction as Determined from Low Level Aerial Photographs), 345–351
Deschampsia antarctica, 213–216
Dhar, U. *See* Rawal R. S. and Dhar, U.
Diatoms, 75–92, 430–444

Dictyostelids, 222–225
Dictyotelium mucoroides, 222–225
Digital mapping, 367–378
Disturbance, 105–111
Diversity, 112–121
Duguay, C. R. *See* Lafleur, P. M., et al.
Dung beetle, 196–205
Dyurgerov, M. B. and Meier, M. F. (Mass Balance of Mountain and Subpolar Glaciers: A New Global Assessment for 1961–1990), 379–391
Dyurgerov, M. B. and Meier, M. F. (Year-to-Year Fluctuations of Global Mass Balance of Small Glaciers and Their Contribution to Sea-Level Changes), 392–402

Ecology: Alpine, 164–172; Climate-plant interactions, 456–469; Disturbance, 105–111; Dung beetles, 196–205; Fen, 300–303; Flowering, 285–290, 291–299; Himalaya, 112–121; Limnology of Yellowstone Lake, 304–314; Reclamation, 184–195; Seed bank, 213–216; Tree establishment, 173–183; Tropical alpine, 206–212
Edlund, S. A. *See* Young, K. L., et al.
Eiríksson, J. *See* Geirsdóttir, A., et al.
Eisenhauer, A. *See* Rachold, V., et al.
Endemism, 112–121
Engelmark, O. *See* Kullman, L. and Engelmark, O.
Eolian deposition, 164–172
Europe: Alps, 445–458; Dung beetles, 196–205

Fat accumulation, 478–482
Feiler, E. J., Anderson, R. S., and Koehler, P. A. (Late Quaternary Paleoenvironments of the White River Plateau, Colorado, U.S.A.), 53–62
Fen community, 300–303
Fennoscandia: Diatoms, 75–92; Microbial activity, 93–104; Mycorrhizae, 93–104
Fire history, 32–44
Firn, 414–421
Flora: Himalaya, 112–121
Flowering, 285–290
Forest-tundra: Colorado, 173–183; Siberia, 327–333
Fritz, S. C. *See* Theriot, E. C., et al.
Fungi, 483–491

Geirsdóttir, A., Hardardóttir, J., and Eiríksson, J. (The Depositional History of the Younger Dryas–Preboreal Búdi Moraines in South Iceland), 13–23
Geochemistry: Aufeis, 240–252
Glacial history: Iceland, 13–23; Sweden, 63–74
Glacier: Advances, 143–155; 379–391, 392–401; Modeling, 233–239; Snow algae, 126–137; Variations, 1–12
Global warming, 392–401
Gonga Shan range, 226–232
Gresswell, R. E. *See* Theriot, E. C., et al.
Grobe, C. W., Ruhland, C. T., and Day, T. A. (A New Population of *Colobanthus quitensis* near Arthur Harbor, Antarctica: Correlating Recruitment with Warmer Summer Temperatures), 217–221
Groundwater, 270–284

Hansen, B. *See* Rachold, V., et al.
Hardardóttir, J. *See* Geirsdóttir, A., et al.
Harper, K. A. and Kershaw, G. P. (Soil Characteristics of 48-year-old Borrow Pits and Vehicle Tracks in Shrub Tundra along the CANOL No. 1 Pipeline Corridor, Northwest Territories, Canada), 105–111
Härtling, J. W. *See* Wolfe, A. P. and Härtling, J. W.
Hay, M. B., Smol, J. P., Pipke, K. J., and Lesack, L. F. W. (A Diatom-based Paleohydrological Model for the Mackenzie Delta, Northwest Territories, Canada), 430–444
Henry, G. H. R. *See* Johnstone, J. F. and Henry, G. H. R.
Hessl, A. E. and Baker, W. D. (Spruce and Fir Regeneration and Climate in the Forest-Tundra Ecotone of Rocky Mountain National Park, Colorado, U.S.A.), 173–183
Hills, L. V. *See* Spooner, I. S., et al.
Himalaya: Flora, 112–121; Snow algae, 126–137
Hinkel, K. M. *See* Nelson, F. E., et al.
Holocene: Arctic lake sediments, 24–31; Climate, 156–163; Climate change, Sweden, 315–326; Climate oscillation, 445–458; Glacier advances, 143–155; Kamchatka, 143–155; Siberia, 327–333; Vegetation, Alps, 445–458; Vegetation, British Columbia, 156–263; Vegetation history, 32–44, 45–52, 53–62, 327–333
Hubberten, H.-W. *See* Rachold, V., et al.
Hydrochemistry, 304–314
Hydrology: Arctic, 270–284; Permafrost, 240–252; Sediment transport, 422–429; Snow, 403–413

Ice core, 414–421
Ice flow, 233–239
Iceland: Depositional history, 13–23
Icing, 240–252
In Memoriam: W. Dwight Billings, 1910–1997, 253–254
Insect fauna, 63–74

Jay-Robert, P., Lobo, J. M., and Lumaret, J.-P. (Altitudinal Turnover and Species Richness Variation in European Montane Dung Beetle Assemblages), 196–205
Johnstone, J. F. and Henry, G. H. R. (Retrospective Analysis of Growth and Reproduction in *Cassiope tetragona* and Relations to Climate in the Canadian High Arctic), 459–469
Jökulhlaup, 13–23

Kamchatka: Glacier advances, 143–155; Paleoclimate, 414–421
Karst, 240–252
Kendall, D. M. *See* Kevan, P. G. and Kendall, D. M.
Kershaw, G. P. *See* Harper, K. A. and Kershaw, G. P.
Kevan, P. G. and Kendall, D. M. (Liquid Assets for Fat Bankers: Summer Nectarivory by Migratory Moths in the Rocky Mountains, Colorado, U.S.A.), 478–482
Kobresia myosuroides, 300–303
Koehler, P. A. *See* Feiler, E. J., et al.
Koerner, D. *See* Bockheim, J. G. and Koerner, D.
Kohshima, S. *See* Yoshimura, Y., et al.
Korhola, A. *See* Weckström, J., et al.
Körner, C. *See* Arnone, J. A., III and Körner, C.
Kullman, L. and Engelmark, O. (Neoglacial Climate Control of Subarctic *Picea abies* Stand Dynamics and Range Limit in Northern Sweden), 315–326

Lafleur, P. M., Wurtele, A. B., and Duguay, C. R. (Spatial and Temporal Variations in Surface Albedo of a Subarctic Landscape Using Surface-based Measurements and Remote Sensing), 261–269
Lake sediments, 24–31
Lakes: Long-term data, 304–314; Mackenzie Delta, 430–444
Land-use planning, 352–357
Landolt, J. C. *See* Stephenson, S. L., et al.
Landsat, 261–269
Landscape ecology, 270–284
Lauriol, B. *See* Clark, I. D. and Lauriol, B.
Laursen, G. A., Treu, R., Seppelt, R. D., and Stephenson, S. L. (Mycorrhizal Assessment of Vascular Plants from Subantarctic Macquarie Island), 483–491
Laursen, G. A. *See also* Stephenson, S. L., et al.
Leaf respiration, 122–125
LeDrew, E. *See* Derksen, C., et al.
Lemdahl, G. (Early Weichselian Insect Faunas from Northern Sweden: Climatic and Environmental Implications), 63–74
Leontodon autumnalis, 285–290
Lepidoptera, 478–482

Lesack, L. F. W. *See* Hay, M. B., et al.
Lichenometry, 143–155
Liengen, T. and Olsen, R. A. (Nitrogen Fixation by Free-living Cynobacteria from Different Coastal Sites in a High Arctic Tundra, Spitsbergen), 470–477
Limnology, 304–314, 430–444
Lobo, J. M. *See* Jay-Robert, P., et al.
Long-term data, 304–314
Lumaret, J.-P. *See* Jay-Robert, P., et al.

MacDonald, G. M. *See* Clayden, S. L., et al.
Macquarie Island, 483–491
Macrofossil analysis, 445–458
Mapping: Permafrost thickness, 367–378
Mass balance, 233–239; Fluctuations in, 392–401; Global assessment, 379–391
McClung, D. M. *See* Smith, M. J. and McClung,, D. M.
McGlone, M. S., Moar, N. T., and Meurk, C. D. (Growth and Vegetation History of Alpine Mires on the Old Man Range, Central Otago, New Zealand), 32–44
McGraw, J. B. and Day, T. A. (Size and Characteristics of a Natural Seed Bank in Antarctica), 213–216
Meier, M. F. *See* Dyurgerov, M. B. and Meier, M. F.
Melack, J. M. *See* Aizen, V. R., et al.
Melt-pond coverage, 345–351
Meurk, C. D. *See* McGlone, M. S., et al.
Meyer, H. *See* Rachold, V., et al.
Microbial activity, 93–104
Microclimate, 105–111, 270–284
Micrometeorological measurements, 345–351
Migration, 478–482
Mires, 32–44
Moar, N. T. *See* McGlone, M. S., et al.
Montilla, M. G. *See* Barnola, L. G. and Montilla, M. G.
Morainal complex, Iceland, 13–23
Moraines, 143–155
Moss, 358–365
Moths, 478–482
Mount Washington radiation balance, 339–344
Mountain: Climate, 226–232, 339–344; Glaciers, 379–391; Snow distribution, 403–413
Mountain systems: Dung beetles, 196–205
Mueller, G. R. *See* Nelson, F. E., et al.
Muravyev, Y. D. *See* Shiraiwa, T., et al.
Muskox, 334–338
Mycorrhizae, 93–104, 206–212, 483–491

Naruse, R. *See* Aniya, M., et al.
Native species, 184–195
Nectarivory, 478–482
Nellemann, C. and Reynolds, P. E. (Predicting Late Winter Distribution of Muskoxen Using an Index of Terrain Ruggedness), 334–338
Nelson, F. E., Shiklomanov, N. I., Mueller, G. R., Hinkel, K. M., Walker, D. A., and Bockheim, J. G. (Estimating Active-Layer Thickness over a Large Region: Kuparuk River Basin, Alaska, U.S.A.), 367–378
New Zealand: Franz Josef Glacier, 233–239; Mires, 32–44; Vegetation history, 32–44
Nitrogen fixation, 470–477
Noctuidae, 478–472
Nostoc commune, 470–477
Numerical flow model, 233–239

Oerlemans, J. (Climate Sensitivity of Franz Josef Glacier, New Zealand, as Revealed by Numerical Modeling), 233–239
Ohtani, S. *See* Yoshimura, Y., et al.
Ohtonen, R. *See* Väre, H., et al.
Olsen, R. S. *See* Liengen, T. and Olsen, R. A.
Oroarctic, 93–104
Osborn, G. D. *See* Spooner, I. S., et al.

Paleoclimate, 63–74, 156–163, 414–421
Paleoecology: British Columbia, 45–52; Colorado, 53–62, New Zealand, 32–44
Paleoenvironment, 156–163
Paleohydrology, 430–444
Paleolimnology, 430–444
Patagonia: Glacier variations, 1–12
Peat, 358–365
Pedogenesis, 164–172
Pedons, 164–172
Periglacial environment, 240–252
Permafrost, 240–252, 270–284, 367–378
Phenology, 285–290, 291–299
Phenotypic plasticity, 122–125
Picea abies, 315–326
Pipke, K. J. *See* Hay, M. B., et al.
Piwowar, J. *See* Derksen, C., et al.
Plant succession, 184–195
Plants: Macquarie Island, 483–491
Pollen analysis, 32–44, 53–62, 156–163, 327–333, 445–458
Polysphondylium pallidum, 222–225
Preboreal glaciomarine history, 13–23
Precipitation, 226–232, 403–413

Rachold, V., Eisenhauer, A., Hubberten, H.-W., Hansen, B., and Meyer, H. (Sr Isotopic Composition of Suspended Particulate Material [SPM] of East Siberian Rivers: Sediment Transport to the Arctic Ocean), 422–429
Radiation balance, 339–344
Range limit of *Picea abies*, 315–326
Ranunculus, 122–125
Rawal, R. S. and Dhar, U. (Sensitivity of Timberline Flora in Kumaum Himalaya, India: Conservation Implications), 112–121
Reichegger, B. *See* Wagner, J. and Reichegger, B.
Remote sensing, 261–269
Reproductive biology, 291–299
Reproductive success, 285–290
Respiration, 122–125
Response time, 233–239
Restoration, 184–195
Retrospective growth analysis, 456–469
Reynolds, P. E. *See* Nellemann, C. and Reynolds, P. E.
Roots, 206–212
Ruhland, C. T. *See* Grobe, C. W., et al.
Russia: Cellular slime molds, 222–225; Far East, 222–225; Kamchatka, 143–155, 414–421; River sediment transport, 422–429

Sanderson, J. S. *See* Cooper, D. J. and Sanderson, J. S.
Sato, M. *See* Aniya, M., et al.
Savoskul, O. S. and Zech, W. (Holocene Glacier Advances in the Topolovaya Valley, Bystrinskiy Range, Kamchatka, Russia, Dated by Tephrochronology and Lichenometry), 143–155
Schmidlin, T. W. *See* Babrauckas, B.-R. and Schmidlin, T. W.
Schulten, H.-R. *See* Beyer, L., et al.
Sea ice, 345–351
Sea-level changes, 392–410
Sediment: Chemistry, 24–31; Transport, 422–429
Sedimentary facies, 13–23
Seed: Bank, 213–216; Development, 291–299; Germination, 291–299; Production, 285–290
Seppelt, R. D. *See* Laursen, G. A., et al.
Shiklomanov, N. I. *See* Nelson, F. E., et al.
Shiraiwa, T., Muravyev, Y. D., and Yamaguchi, S. (Stratigraphic Features of Firn as Proxy Climate Signals at the Summit Ice Cap of Ushkovsky Volcano, Kamchatka, Russia), 414–421
Siberia: River sediment transport, 422–429

Skavara, P. *See* Aniya, M., et al.
Slope hydrology, 270–284
Smith, M. J. and McClung, D. M. (Characteristics and Prediction of High-Frequency Avalanche Runout), 352–357
Smol, J. P. *See* Hay, M. B., et al.
Smyth, C. R. (Early Succession Patterns with a Native Species Seed Mix on Amended and Unamended Coal Mine Spoil in the Rocky Mountains of Southeastern British Columbia, Canada), 184–195
Snow algae, 126–137
Snow avalanche, 352–357
Snow cover: Alaska, 334–338
Snow distribution, 334–338, 403–413
Snowbed community: Mycorrhizae, 93–104
Snowmelt runoff, 403–413
Soil: Antarctic, 358–365; Arctic, 270–284; Characteristics, 105–111; Formation, 164–172; Organic matter, 358–365
Sorge, C. *See* Beyer, L., et al.
Southern Patagonia Icefield, 1–12
Spear, R. W. and Cwynar, L. C. (Late Quaternary Vegetation History of White Pass, Northern British Columbia, Canada), 45–42
Species richness, 196–205
Spitsbergen, 470–477
Spooner, I. S. Hills, L. V., and Osborn, G. D. (Reconstruction of Holocene Changes in Alpine Vegetation and Climate, Susie Lake, British Columbia, Canada), 156–163
Sr isotope, 422–429
Stephenson, S. L., Landolt, J. C., and Laursen, G. (Dictyostelid Cellular Slime Molds from Western Alaska, U.S.A., and the Russian Far East), 222–225
Stephenson, S. L. *See also* Laursen, G. A., et al.
Stratigraphy, 156–163
Subalpine fen community, 300–303
Subantarctic, 483–491
Subarctic: Albedo, 261–269; Diatoms, 75–92; Leaf respiration, 122–125; *Picea abies* stand dynamics, 315–326
Subpolar glaciers, 379–391
Suspended particulate material, 422–429
Sweden: Climate change, 315–326; Range limit of *Picea*, 315–326; Weichselian insect fauna, 63–74

Temperature: Adaptation, 122–125; Antarctica, 217–221; China, 226–232; Response curves, 122–125
Tephrochronology, 143–155
Terrain: Avalanche path, 352–357; Ruggedness, 334–338
Thaw depth, 367–378
Thematic Mapper imagery, 261–269
Theriot, E. C., Fritz, S. C., and Gresswell, R. E. (Long-term Limnological Data from the Larger Lakes of Yellowstone National Park, Wyoming, U.S.A.), 304–314
Thermal adaptation, 122–125
Thomas, A. (The Climate of the Gonga Shan Range, Sichuan Province, PR China), 226–232
Tien Shan, 403–413
Timberline, 112–121, 445–458
Tinner, W. *See* Wick, L. and Tinner, W.
Topographic effects, 270–284
Totland. Ø (Effects of Flowering Time and Temperature on Growth and Reproduction in *Leontodon autumnalis* var. *taraxaci*, a Late-flowering Alpine Plant), 285–290
Trace metal enrichment, 24–31
Tree establishment, 173–183
Tree migration, 45–52
Treeline, 173–183, 315–326
Treu, R. *See* Laursen, G. A., et al.
Tropical alpine ecosystems, 206–212
Tundra: Anthropogenic disturbance, 105–111; Radiation balance, 339–344; Shrub, 105–111

Väre, H., Vestberg, M., and Ohtonen, R. (Shifts in Mycorrhiza and Microbial Activity along an Oroarctic Altitudinal Gradient in Northern Fennoscandia), 93–104
Vegetation change, 156–163, 445–458
Vegetation history: British Columbia, 45–52; New Zealand, 32–44
Velichko, A. A. *See* Clayden, S. L., et al.
Venezuela: Mycorrhizal colonization, 206–212
Vestberg, M. *See* Väre, H., et al.
Volcano: Kamchatka, 414–413

Wagner, J. and Reichegger, B. (Phenology and Seed Development of the Alpine Sedges *Carex curvula* and *Carex firma* in Response to Contrasting Topoclimates), 291–299
Walker, D. A. *See* Nelson, F. E., et al.
Warming, 291–299
Water: Chemistry, 304–314; Temperature, 75–92, 304–314
Weather: Mount Washington, 339–344
Weckström, J., Korhola, A., and Blum, T. (The Relationship between Diatoms and Water Temperature in Thirty Subarctic Fennoscandian Lakes), 75–92
Weichselian insect fauna, 63–74
Wetland community, 300–303
Wetlands, 32–44
Wick, L. and Tinner, W. (Vegetation Changes and Timberline Fluctuations in the Central Alps as Indicators of Holocene Climate Oscillations), 445–458
Wolfe, A. P. and Härtling, J. W. (Early Holocene Trace Metal Enrichment in Organic Sediments, Baffin Island, Arctic Canada), 24–31
Woo, M-k. *See* Young, K. L., et al.
Wurtele, A. B. *See* Lafleur, P. M., et al.

Yamaguchi, S. *See* Shiraiwa, T., et al.
Yellowstone Lake, 304–314
Yoshimura, Y., Kohshima, S., and Ohtani, S. (A Community of Snow Algae on a Himalyan Glacier: change of Algal Biomass and Community Structure with Altitude), 126–137
Young, K. L., Woo, M-k., and Edlund, S. A. (Influence of Local Topography, Soils, and Vegetation on Microclimate and Hydrology at a High Arctic Site, Ellesmere Island, Canada), 270–284
Younger Dryas, 13–23

Zech, W. *See* Savoskul, O. S. and Zech, W.